

MUNICIPALITY OF ANCHORAGE KINCAID SKI CHALET REPAIR

9401 RASPBERRY ROAD ANCHORAGE, ALASKA 99502

OWNER

MUNICIPALITY OF ANCHORAGE

3640 EAST TUDOR ROAD
ANCHORAGE, ALASKA 99507

T. 907.343.8487
F. 907.343.8267

ARCHITECT

BURKHART CROFT ARCHITECTS, LLC

880 N STREET, SUITE 302
ANCHORAGE, ALASKA 99501

T. 907.929.9334
F. 907.929.9335


STRUCTURAL & ELECTRICAL ENGINEERS

COFFMAN ENGINEERS, INC.

800 F STREET
ANCHORAGE, ALASKA 99501

T. 907.276.6664

SYMBOLS



ABBREVIATIONS

ABBREVIATIONS INDICATED MAY NOT ALL BE USED IN THESE CONSTRUCTION DOCUMENTS. SEE MECHANICAL & ELECTRICAL FOR ABBREVIATIONS SPECIFIC TO THOSE DISCIPLINES.

&	and	CER	ceramic	EQ	equal	FURN	furnace	MET	metal	PT	pressure treated	STRL	structural
L	angle	CLG	ceiling	EQUIP	equipment	FURR	furring	MFD	manufactured	PTD	paper towel dispenser	STRUCT	structural
@	at	CO	carbon monoxide	EXT	exterior	GA	gauge or gage	MFR	manufacturer	PTD/R	paper towel dispenser / receptacle	SUSP	suspended
C	centerline	CLO	closet	EXIST	existing	GALV	galvanized	MH	manhole			S.V.	sheet vinyl
O	diameter	CMU	concrete masonry unit	EXIST'G	existing	GB	grab bar	MIN	minimum, minute	PTR	paper towel receptacle	T&G	tongue and groove
#	pound or number	COL	column	(E)	existing	GL	glass or glazing	MISC	miscellaneous	QT	quarry tile	TC	trash chute
AB	anchor bolt	CONST	construction	FA	fire alarm	GLBM	glu-lam beam	MR	mop rack	RD	roof drain	T.O.	top of
ACT	acoustical tile	CONT	continuous	FCB	fiber cement board	GWB	gypsum wall board	MTD	mounted	REQ	required	TPD	toilet paper dispenser
ADD	additive	CPT	carpet	FCO	floor clean out	HDW	hardware	MTL	material	REQM'TS	requirements	TYP	typical
ADD'L	additional	CT	ceramic tile			HM	hollow metal	(N)	new	RM	room	U.N.O.	unless noted otherwise
ADH	adhesive	DEMO	demolition	FCTY	factory finish	HORIZ	horizontal	NIC	not in contract	RO	rough opening	UH	unit heater
ADJ	adjustable	DET	detail	FD	floor drain	HT	height	NO	number	R&S	rod and shelf		
AFF	above finished floor	DF	drinking fountain	FDN	foundation	HVAC	heating, ventilating, and air conditioning	NOM	nominal	SA-VR	self-adhered vapor retarder	VAR	varies
AP	access panel	DIAM	diameter	FE	fire extinguisher	HWH	hot water heater	NTS	not to scale	SD	soap dispenser	VCT	vinyl composition tile
APPROX	approximate	DIM	dimension	FEC	fire extinguisher cabinet	INSUL	insulation	OC	on center	SECT	section	VERT	vertical
ARCH	architectural	DISP	dispenser	FHC	fire hose cabinet	INT	interior	OD	overflow drain	SHR	shower	VR	vapor retarder
BD	board	DN	down	FIN	finish	JT	joint	O.F.C.I.	owner furnished contractor installed	SIM	similar	VTR	vent through roof
BLDG	building	DS	downspout	FL	floor	LAV	lavatory	O.F.O.I.	owner furnished owner installed	SIP	structural insulated panel	W	washer
BLK	block or blocking	DWG	drawing	FO	face of	MAX	maximum	OSB	oriented strand board	SND	sanitary napkin dispenser	W/	with
BM	beam			FOC	face of concrete	MECH	mechanical	PL	plate	SNR	sanitary napkin receptacle	WD	wood
BO	bottom of	EA	each	FOF	face of finish			P.LAM	plastic laminate	SPEC	specification	WH	water heater
CEM	cement	ELEC	electrical	FOS	fiberglass reinf. panel			PLYWD	plywood	SQ	square	WR	water resistant
		EPS	expanded polystyrene	FRP				PNT	paint	STOR	storage	WSCT	wainscot


INDEX TO DRAWINGS

GENERAL


G101 PROJECT DATA AND INDEX OF DRAWINGS

ARCHITECTURAL

A101 DEMOLITION ROOF PLAN
A201 RENOVATION ROOF PLAN
A202 ENLARGED ROOF PLAN AND DETAILS
A301 EXISTING CONDITION PHOTOGRAPHS
A302 EXISTING CONDITION PHOTOGRAPHS - PAINTING EXTENTS



VICINITY MAP



Burkhart Croft
ARCHITECTS LLC
880 N Street Suite 302 | Anchorage Alaska 99501
T: 907.929.9334 | www.burkhart-croft.com

MUNICIPALITY OF ANCHORAGE
KINCAID SKI CHALET REPAIR
9401 RASPBERRY ROAD ANCHORAGE, ALASKA 99502

DATE: 3/6/23

DRAWN: HLC

CHECKED: DJD


PROJECT: 2213.06

DRAWING TITLE:
PROJECT DATA AND
INDEX OF DRAWINGS


REVISIONS:

SHEET NO:

G101



1 DEMOLITION ROOF PLAN
Scale: 1/8" = 1'-0"




Burkhardt Croft
ARCHITECTS LLC
880 N Street Suite 302 | Anchorage Alaska 99501
T: 907.929.9394 | www.burkhardt-croft.com

MUNICIPALITY OF ANCHORAGE
KINCAID SKI CHALET REPAIR
9401 RASPBERRY ROAD ANCHORAGE, ALASKA 99502


DATE: 3/6/23
DRAWN: HLC
CHECKED: DJD
PROJECT: 2213.06
DRAWING TITLE:
DEMOLITION ROOF
PLAN

REVISIONS:

SHEET NO:
A101



1 RENOVATION ROOF PLAN
 Scale: 1/8" = 1'-0"




Burkhardt Croft
 ARCHITECTS LLC
 880 N Street Suite 302 | Anchorage Alaska 99501
 T: 907.929.9394 | www.burkhardt-croft.com

MUNICIPALITY OF ANCHORAGE
KINCAID SKI CHALET REPAIR
 9401 RASPBERRY ROAD ANCHORAGE, ALASKA 99502

DATE: 3/6/23
 DRAWN: HLC
 CHECKED: DJD
 PROJECT: 2213.06
 DRAWING TITLE:
 RENOVATION ROOF
 PLAN

REVISIONS:

SHEET NO:
A201




Burkhardt Croft
 ARCHITECTS LLC
 8800 N Street Suite 302 | Anchorage Alaska 99501
 T: 907.929.9394 | www.burkhardt-croft.com


MUNICIPALITY OF ANCHORAGE
KINCAID SKI CHALET REPAIR
 9401 RASPBERRY ROAD ANCHORAGE, ALASKA 99502

DATE: 3/6/23
 DRAWN: HLC
 CHECKED: DJD
 PROJECT: 2213.06
 DRAWING TITLE:
 ENLARGED ROOF
 PLAN AND DETAILS
 REVISIONS:
 SHEET NO:


A202



3 PARAPET/GUARDRAIL
 [1/A202] Scale: 1 1/2" = 1'-0"



2 EXISTING WALL ASSEMBLY
 Scale: 1 1/2" = 1'-0"



1 ENLARGED RENOVATION ROOF PLAN
 [1/A201] Scale: 1/4" = 1'-0"



PORTION OF GUARDRAIL TO BE REMOVED. REINSTALL AFTER COMPLETION OF WORK

REMOVE AND REPLACE DAMAGED FLASHING TO MATCH EXISTING ADJACENT. INSTALL NEW FLASHING TO OVERLAP 12" OVER UNDAMAGED FLASHING TO REMAIN

ARTWORK TO BE REMOVED AND SALVAGED. STORE FOR REINSTALLATION AFTER WORK IS COMPLETE

INSTALL NEW DIAGONAL 1X6 WOOD SIDING TO MATCH EXISTING ADJACENT WALL ASSEMBLY. SEE 2/A202 FOR WALL ASSEMBLY



PORTION OF GUARDRAIL TO BE REMOVED. REINSTALL AFTER COMPLETION OF WORK

REMOVE AND REPLACE DAMAGED FLASHING TO MATCH EXISTING ADJACENT. INSTALL NEW FLASHING TO OVERLAP 12" OVER UNDAMAGED FLASHING TO REMAIN

INSTALL NEW DIAGONAL 1X6 WOOD SIDING TO MATCH EXISTING ADJACENT WALL ASSEMBLY. SEE 2/A202 FOR WALL ASSEMBLY



ARTWORK TO BE REMOVED AND SALVAGED. STORE FOR REINSTALLATION AFTER WORK IS COMPLETE

REPLACE TO MATCH EXISTING ADJACENT

INSTALL NEW DIAGONAL 1X6 WOOD SIDING TO MATCH EXISTING ADJACENT WALL ASSEMBLY. SEE 2/A202 FOR WALL ASSEMBLY




PORTION OF GUARDRAIL TO BE REMOVED. REINSTALL AFTER COMPLETION OF WORK

EXTENT OF ROOFING REPAIR. REMOVE AND STORE EXISTING CONCRETE PAVERS FOR REINSTALLATION AFTER COMPLETION OF WORK



PORTION OF GUARDRAIL TO BE REMOVED. REINSTALL AFTER COMPLETION OF WORK

EXTENT OF ROOFING REPAIR. REMOVE AND STORE EXISTING CONCRETE PAVERS FOR REINSTALLATION AFTER COMPLETION OF WORK



PORTION OF GUARDRAIL TO BE REMOVED. REINSTALL AFTER COMPLETION OF WORK

REMOVE AND REPLACE DAMAGED FLASHING TO MATCH EXISTING ADJACENT. INSTALL NEW FLASHING TO OVERLAP 12" OVER UNDAMAGED FLASHING TO REMAIN

INSTALL NEW DIAGONAL 1X6 WOOD SIDING TO MATCH EXISTING ADJACENT WALL ASSEMBLY. SEE 2/A202 FOR WALL ASSEMBLY

REPLACE DOWNSPOUT. REMOVE THE TEMPORARY ONE IN PLACE. PROVIDE ONE THAT MATCHES THE FACILITY. PROVIDE NEW CONCRETE SPLASHBLOCK.



REPLACE DOWNSPOUT, PROVIDE (N) CONC. SPLASH BLOCK

INSTALL NEW DIAGONAL 1X6 WOOD SIDING TO MATCH EXISTING ADJACENT WALL ASSEMBLY. SEE 2/A202 FOR WALL ASSEMBLY



CLEAN ALL AREAS OF SMOKE DAMAGE, TYP

ARTWORK TO BE REMOVED AND SALVAGED. STORE FOR REINSTALLATION AFTER WORK IS COMPLETE

REPLACE METAL SOFFIT PANEL TO MATCH EXISTING ADJACENT

REPLACE DOWNSPOUT

INSTALL NEW DIAGONAL 1X6 WOOD SIDING TO MATCH EXISTING ADJACENT WALL ASSEMBLY. SEE 2/A202 FOR WALL ASSEMBLY

SECTION 09 91 23 EXTERIOR PAINTS AND COATINGS

WOOD PAINT SYSTEM


A. Provide the following coating system over exterior wood surfaces:

1. Primer: B42W8041 - Exterior Latex Wood Primer.
2. First Coat: A82 Series - A-100 Exterior Latex Satin.
3. Second Coat: A82 Series - A-100 Exterior Latex Satin.

EXTERIOR METAL SYSTEM

A. Provide the following coating system over exterior ferrous metal surfaces:

1. Primer: B66-310 - Pro industrial Pro-Cryl® Universal Primer.
2. First Coat: B66-650 Series - Pro Industrial Acrylic Coating - Semi-Gloss.
3. Second Coat: B66-651 - Pro Industrial Acrylic Coating - Semi-Gloss.
4. Gloss: Level 3-4.



Burkhardt Croft
ARCHITECTS LLC
880 N Street Suite 302 | Anchorage Alaska 99501
T: 907.929.9394 | www.burkhardt-croft.com

MUNICIPALITY OF ANCHORAGE
KINCAID SKI CHALET REPAIR
9401 RASPBERRY ROAD ANCHORAGE, ALASKA 99502

DATE: 3/6/23

DRAWN: HLC

CHECKED: DJD


PROJECT: 2213.06

DRAWING TITLE:
EXISTING CONDITION
PHOTOGRAPHS

REVISIONS:

SHEET NO:

A301



Burkhardt Croft
ARCHITECTS LLC
880 N Street Suite 302 | Anchorage Alaska 99501
T: 907.929.9394 | www.burkhardt-croft.com



EXTENT OF EAST WALL TO BE PAINTED TO MATCH EXISTING. WOOD SIDING TO BE PAINTED ONLY, TAPE OFF ALL STEEL SUBSTRATES, AND DOORS

EXTENT OF SOUTH WALL TO BE PAINTED TO MATCH EXISTING. WOOD SIDING TO BE PAINTED ONLY, TAPE OFF ALL STEEL SUBSTRATES, AND DOORS



MUNICIPALITY OF ANCHORAGE
KINCAID SKI CHALET REPAIR
9401 RASPBERRY ROAD ANCHORAGE, ALASKA 99502

DATE: 3/6/23

DRAWN: HLC

CHECKED: DJD

PROJECT: 2213.06

DRAWING TITLE:
EXISTING CONDITION
PHOTOGRAPHS -
PAINTING EXTENTS

REVISIONS:

SHEET NO:

A302