

MUNICIPALITY OF ANCHORAGE**PURCHASING DEPARTMENT****PHONE (907) 343-4590 - FAX (907) 343-4595**Mailing Address
P.O. Box 196650
Anchorage, AK 99519-6650Physical Address
632 W. 6th Avenue, Suite 520
Anchorage, AK 99501**REQUEST FOR QUOTATION NO. 2023Q001**RFQ No. **2023Q001** – Furnish Sixty PreMarkXF Preformed Markings to the Municipality of Anchorage, Anchorage Traffic Department.

Date of Request	Reply Must Be Received Prior To	Buyer	Buyer Phone Number
01/17/2023	12:00 P.M. Local Time, January 26, 2023	Jared Brunelle	907-343-4590

THIS IS NOT AN ORDER
PLEASE QUOTE AT ONCE ON THE FOLLOWING AND SPECIFY YOUR DELIVERY DATE

Cover Sheet	Page	1
Quote Proposal	Pages	2
General Provision	Page	3
Data Sheets	Pages	4-8

Quote must be submitted on Quote Proposal Page 2 along with all required information per attached Specifications.

This Request for Quotation is available electronically (.pdf) at the Municipality of Anchorage, Purchasing Office's website; <http://www.muni.org/Departments/purchasing/Pages/bidding.aspx>. Should you choose to obtain a copy of this from our website; it is your responsibility to periodically check the website for any addenda.

Questions regarding this RFQ **will** be submitted in writing via email to wwpur@muni.org. Written questions **will** be received no later than **12:00 P.M. Alaska Time, January 20, 2023**. Questions will include the Buyer's name, the RFQ number and RFQ Title, on the subject line.

Quotations will be submitted to the Purchasing Department via one of the following methods. Due to COVID-19 the **preferred** method is email.

1. Email: wwpur@muni.org ("**Subject**" line must include Buyer name and RFQ number)
2. Mail: P.O. Box 196650, Anchorage, AK 99519-6650
3. Hand delivery: 632 W. 6th Avenue, Suite 520, Anchorage, AK 99501.

Municipality of Anchorage
Purchasing Department
632 W. 6th Avenue, Suite 520
Anchorage, AK 99501

Municipality of Anchorage
Purchasing Department
P.O. Box 196650
Anchorage, AK 99519-6650

MUNICIPALITY OF ANCHORAGE

Jared Brunelle 
Jared Brunelle

Junior Buyer

Phone: 907-343-4590

Office Hours: 8:00 - 5:00 M-F

Excluding Municipal Holidays

QUOTE PROPOSAL

Item	Description	Model No.	Qty.	Unit	Unit Price	Total Price
1	Preformed Thermoplastic Markings, 12' white 125 mil XF, per attached Data Sheets. (Include shipping in total cost) NO SUBSTITUTIONS	PreMarkXF	60	EACH	\$ _____	\$ _____
*All items required by 3/30/2023					Estimated Delivery Date	_/_/____

Addendum Acknowledgement	Prompt Payment Discount - Payment Terms Offered
Number(s) _____ is/are hereby acknowledged	_____ % _____ Days OR Net 30 (default) 1% minimum and 15 days are the minimum amounts allowed (As referenced on page 3 under General Provisions)

The bidder will accept CREDIT CARDS for purchases against this RFQ

- Yes
 No

By submitting a quote, the quoter acknowledges that he/she have received all documents listed on the cover page. Carefully reviewed and possesses knowledge of all documents listed

Authorized Representative Signature

Date

Printed Name

Title

Printed Vendor Name

Phone Number

Mailing Address

Fax Number

City, State, Zip Code

Company Email Address

Physical Address of Company (if different from above)

City, State, Zip Code

By signing above the bidder certifies they are an equal opportunity employer and will not discriminate against any employee or applicant for employment because of race, color, religion, national origin, ancestry, age, sex, sexual orientation, gender identity, marital status, or physical or mental disability. The contractor will comply with all laws concerning the prohibition of discrimination including, but not limited to Title 5 and Title 7 of the Anchorage Municipal Code.

GENERAL PROVISIONS

REQUIRED DOCUMENTS: Only the following listed items marked with an “☑” are required to be submitted with your Quote.”

- ☑ Quote MUST be submitted on the Quote Proposal Page 2 of this RFQ
- ☑ Shipping is FOB destination (include shipping cost in quote)
- ☑ Quoted prices may not be withdrawn or changed for a period of thirty (30) days
- ☑ Payment terms are Net/30

EVALUATION: Award will be made to the lowest responsive and responsible bidder in accordance with Anchorage Municipal Code Sections 7.15.040, 7.20.020, 7.20.030, and 7.20.040, with preference to local bidders applied in accordance with Section 7.20.040. Evaluation for determining the lowest bid will be made in the **aggregate**. **TO BE CONSIDERED FOR AWARD ALL ITEMS MUST BE BID.** All items must be new and come with manufacturer’s warranty, if supplied by the manufacturer. The purchasing officer will have the sole discretion to determine whether the bid submitted meets specifications of the Request for Quote, whether a bidder is responsive, and whether a deviation is material.

DELIVERY DATE

All items must be delivered no later than 3/30/2023. Bids indicating a delivery date which exceeds the Required Delivery Date may be considered non-responsive.

DELIVERY LOCATION:

Deliver to: Municipality of Anchorage,
Traffic Department
2839 Mountain View Drive
Anchorage, Alaska 99501

ANTI-DISCRIMINATION CLAUSE: The Contractor will not discriminate against any employee or applicant for employment because of race, color, religion, national origin, ancestry, age, sex, sexual orientation, gender identity, marital status or mental or physical handicap. The Contractor will take affirmative action to ensure that applicants are employed and that employees are treated during employment without regard to the characteristics listed above. Such action will include, without limitation, employment, upgrading, demotion or transfer, recruitment or recruiting advertising, lay-off or termination, rates of pay or other forms of compensation and selection for training including apprenticeship. The Contractor will post in conspicuous places, available to employees and applicants for employment, notices setting forth the provisions of this non-discrimination clause. The contractor will comply with all laws concerning the prohibition of discrimination including, but not limited to Title 5 and Title 7 of the Anchorage Municipal Code

Extra flexible preformed thermoplastic markings

Engineered to extend the life of your pavement marking program and is ideal for cold weather applications

ENNIS-FLINT® by PPG PREMARKXF™ extra flexible preformed thermoplastic markings provide enhanced flexibility and impact resistance.

Two options offered:

Beaded (BD): factory-applied surface and intermix beads uniformly distributed so that as the marking wears, new beads are exposed.

ViziGrip® (VG): factory-applied surface beads and anti-skid elements to ensure skid resistance and retroreflectivity is maximized.



Design

Heavy-duty, intersection-grade pavement marking material

Two-year shelf life allows for broader options for inventory management

Made with up to 60% recycled material



Installation

Pre-cut and ready to use out of the box

No minimum road or ambient temperature requirements for application

Preheating the road surface is not required



Pedestrian Safety

Available with retroreflective beads and/or anti-skid elements distributed evenly throughout material for enhanced visibility and slip resistance

As material wears, new beads are exposed



Compliance/Certification

ADA-compliant pedestrian and wheelchair friendly surface
Facility is ISO 9001:2015 certified for the design, development and manufacturing of preformed thermoplastic

This document contains general information only and should not be construed as creating any warranties, express or implied. Please contact a PPG representative for additional information.

The PPG Logo is a registered trademark and *We protect and beautify the world* is a trademark of PPG Industries Ohio, Inc. Ennis-Flint and ViziGrip are registered trademarks and PreMarkXF is a trademark of the PPG Group of Companies. The IN Logo is a registered trademark of LinkedIn Corporation. ©2022 PPG Industries, Inc. All rights reserved. 02/22 TS006



Safety Data Sheet

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Ennis-Flint
115 Todd Court
Thomasville, NC 27360

Company Phone Number: 1-800-331-8118
24-Hour Emergency Phone: 1-800-424-9300 CHEMTREC

Product Name: **PreMark® XF**

Issue Date: 07/20/2017

Revised Date: New

Version Number: 1

Product Use:

Intended Use: Pavement Marking
Specific Use: Pavement Marking

Section 2: HAZARDS IDENTIFICATION

Emergency Overview:

Form: Solid plastic sheet

Odor: No distinguishable odor

This product, as packaged, is an article and does not meet the requirements of a hazardous chemical as defined by the OSHA Hazard Communication Standard, CFR TITLE 29 1910-1200. This product contains a component suspected of causing cancer. However, it is in a non-respirable form and inhalation is unlikely to occur from exposure. This classification is relevant when exposed to dust or powder form only (e.g. sanding, grinding).

Classification Symbol(s) of Product: No GHS Symbols Exist

Signal Word: NA

Immediate health, physical, and environmental hazards:

The environmental properties of this product present a low environmental hazard. This product, when used under reasonable conditions and in accordance with the Ennis-Flint directions for use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

Potential Health Effects:

See Section 11 for more information

Primary Route of Entry:

Not Applicable

Skin Contact:

Not relevant for cold product. Molten or heated thermoplastic material can cause serious burns to unprotected skin. Immediately immerse in or flush area with large amounts of cold water. Do not attempt to remove product from skin. Get prompt medical attention.

Eyes:

Not relevant for cold product. For contact with molten material or if exposed to excessive levels of dust created by cutting, sanding, grinding or machining, immediately flush eyes with plenty of water for at least 15 minutes.

Inhalation:

Not relevant for cold product. If exposed to excessive levels of dust or fumes, Remove to fresher air and get medical attention if symptoms develop.

Ingestion:

Do not induce vomiting. Give milk or water. Get medical attention.

Chronic:

None known

Section 3: COMPOSITION INFORMATION

Component Name	CAS #	% Composition
Titanium Dioxide	13463-67-7	<15%

Section 4: FIRST AID MEASURES

Inhalation:	If exposed to excessive levels of dust created by cutting, sanding, grinding or machining or fumes, remove to fresher air and get medical attention if symptoms develop.
Eyes:	For contact with molten material or if exposed to excessive levels of dust created by cutting, sanding, grinding or machining, immediately flush eyes with plenty of water for at least 15 minutes.
Skin:	For contact with molten material, immediately immerse in or flush area with large amounts of cold water. Do not attempt to remove product from skin. Get prompt medical attention.
Ingestion:	Do not induce vomiting. Give milk or water. Get medical attention.

Section 5: FIRE FIGHTING MEASURES

Flash Point:	500° F
Auto-ignition Temperature:	Not Determined
Limits of Flammability:	LEL: Not Determined UEL: Not Determined
Extinguishable Media:	Water, Water Spray, Dry Chemical, Foam or CO2
Special Fire & Unusual Hazards:	Fire fighters should wear self-contained breathing apparatus in the positive pressure mode with full-face piece when there is the possibility of exposure to smoke, fumes or hazardous decomposition products. The application of high velocity water will spread the burning material. May emit toxic fumes when burning.

Section 6: ACCIDENTAL RELEASE MEASURES

Accidental Release Measures:	Collect or scrape up. Allow molten hot materials to solidify.
------------------------------	---

Section 7: HANDLING AND STORAGE

Handling:	Avoid skin contact with molten or heated thermoplastic material at all times Practice good personal hygiene. Avoid breathing of dust created by cutting, sanding, grinding or machining. This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.
Storage:	Store in a cool dry place.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal Protection:	Leather or equivalent protective gloves are recommended. Protective work clothes that cover skin and industrial work shoes. Practice good personal hygiene.
	Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection. Avoid breathing of dust created by cutting, sanding, grinding or machining.
	Use with appropriate local exhaust ventilation. Provide appropriate local exhaust for cutting, grinding, sanding or machining. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below Occupational Exposure Limits and/or control dust, fume, or airborne particles. If ventilation is not adequate, use respiratory protection equipment.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point:	Not Applicable	Solubility in Water:	Not soluble
Melting Point:	226° F - 248° F	Specific Gravity:	1.9 – 2.0
Vapor Pressure @ 20C:	Not Applicable	Evaporation Rate:	Not Applicable
Vapor Density:	Not Applicable	Odor:	No distinguishable
Appearance:	Solid Plastic Sheet		

Section 10: STABILITY AND REACTIVITY

Stability:	Material is stable.
Hazardous Decomposition Products:	This product is not a hazardous chemical as defined by the OSHA Hazard Communication Standard, CFR TITLE 29 1910-1200. However thermal processing and decomposition fumes from this product may be hazardous.
Hazardous Polymerization:	Will not occur

Section 11: TOXICOLOGY INFORMATION

This product, as packaged, is an article and does not meet the requirements of a hazardous chemical as defined by the OSHA Hazard Communication Standard, CFR TITLE 29 1910-1200.

Section 12: ECOLOGICAL INFORMATION

This substance does not leach metals or other RCRA (Resource Conservation and Recovery Act) listed TCLP (Toxic Characteristic Leaching Procedure) hazardous substances at concentrations that would make the product a hazardous waste.

Section 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method:	Handle disposal of waste material in a manner which complies with local, state, province, and federal regulations.
	Landfill if solidified or incinerate at agency approved waste-disposal facility

Section 14: TRANSPORTATION INFORMATION

U.S. Department of Transportation Proper Shipping Name: Pavement Markings

UN Number: Not regulated

ADR/RID Class: Not regulated

IMDG/GGV See Class: Not regulated

Marine Pollutant: Not a Marine Pollutant

ICAO/IATA Class: Not regulated

Section 15: REGULATORY INFORMATION

Contact Ennis-Flint for more information.

Section 16: OTHER INFORMATION

NFPA Hazard Classification

Health: 0 Flammability: 1 Reactivity: 0 Special Hazards: None

Issue Date: 07/20/2017

Revised Date: New

Version Number: 1

Revision Note: Updated to GHS format, expand section 14.

Contact Ennis-Flint for more information.

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product where instructions and recommendations are not followed. Any use of the product not in conformance with this SDS or in combination with any other product or process is the responsibility of the user.